




# Effect of timing of silage supplementation on nitrogen partitioning and milk production of grazing dairy cows during autumn



Beltrán, I., Müller, A. and Pulido R.G. Universidad Austral de Chile,  
Fondecyt 1130714, DID-UACH. ignacio.beltran.gonzalez@gmail.com

## INTRODUCTION

### Factors limiting grazing milk production in Chile

< DMI

< E intake

N/E Asynchrony

Low NUE and high urinary N excretion

Strategies

1. Timing and **type** of supplementation
2. Timing of pasture allowance

Autumn?

## OBJECTIVE

To evaluate the effect of timing of silage supplementation on nitrogen partitioning and milk production of early lactation dairy COWS.





# Effect of timing of silage supplementation on nitrogen partitioning and milk production of grazing dairy cows during autumn



Beltrán, I., Müller, A. and Pulido R.G. Universidad Austral de Chile,  
Fondecyt 1130714, DID-UACH. ignacio.beltran.gonzalez@gmail.com

## MATERIAL AND METHODS

### Location and Experimental design

- May to July, 2015
- 36 Holstein Friesian cows (22.9 kg milk/d, 509 kg LW, 60 DIM)

### Sampling and analysis

- Milk, food and feces samples → weeks 7 and 8 → N intake and milk, feces, and urine nitrogen content

### TREATMENTS

NAME	AM SUPPLEMENTATION	PM SUPPLEMENTATION
MMS	3 kg DM maize silage	3 kg DM grass silage
EMS	3 kg DM grass silage	3 kg DM maize silage
MEMS	1,5 kg DM maize silage + 1,5kg DM grass silage	1,5 kg DM maize silage + 1,5kg DM grass silage

- Herbage allowance (**afternoon**) : 17kg DM/d
- Concentrate : 3.5kg DM/d



# Effect of timing of silage supplementation on nitrogen partitioning and milk production of grazing dairy cows during autumn



Beltrán, I., Müller, A. and Pulido R.G. Universidad Austral de Chile,  
Fondecyt 1130714, DID-UACH. ignacio.beltran.gonzalez@gmail.com

## RESULTS

	Treatment			SEM	P-value
	MMS	MEMS	EMS		
Milk production, kg/d	21.9 <sup>a</sup>	19.9 <sup>b</sup>	20.0 <sup>b</sup>	0.5	0.05
N intake, g/d	412	356	389	11.4	0.16
Milk N, g/d	106	97	100	2.7	0.39
Urinary N excretion, g/d	196 <sup>a</sup>	150 <sup>b</sup>	185 <sup>ab</sup>	7.4	0.05
Feces N excretion, g/d	110	110	103	2.8	0.52
Milk N/N intake, %	25.9	27.3	25.9	0.5	0.45



# Effect of timing of silage supplementation on nitrogen partitioning and milk production of grazing dairy cows during autumn



Beltrán, I., Müller, A. and Pulido R.G. Universidad Austral de Chile,  
Fondecyt 1130714, DID-UACH. ignacio.beltran.gonzalez@gmail.com

## CONCLUSION

The MEMS treatment reduce urinary nitrogen excretion but showed a lower milk production compared with MMS